

C++ Refresher Tutorial

January 10th, 2020

Outline

- C++ Core Concepts with C++11 Emphasis
- C++ Standard Library
 - › Containers
 - › Algorithm & Functional
- C++ Code Compilation, Toolchain, and Workflow
 - › Compiling on the Command Line
 - › Makefiles

C++ Core Language Constructs

Basic Data Types

- Integer & Floating Point Types
 - [unsigned] char, short, int, long
 - float, double
- Pointers
 - › Use `nullptr`, not the macro `NULL`
- Arrays
 - › Statically allocate by `Type foo[n]`
 - › Decay into pointers, e.g. `int[] → int *`
- Strings
 - › Can be `char *` or `std::string`
- References
 - › Denoted with ampersand: `Type&`
 - › “Safe” pointers: can’t be null

C++11 & Memory Management

- Any memory allocated dynamically must be freed.

- C: malloc & free

```
int *arr = (int *) malloc(n * sizeof(int));  
free(arr);
```

- C++: new & delete, with [] for arrays

```
Foo *f = new Foo();  
delete f;
```

```
int *arr = new int[4];  
delete[] arr;
```

C++11 & Memory Management

- C++11 introduces *smart pointers*, which automatically manages dynamic memory for you.
- `std::unique_ptr` lets only one variable reference the given memory, and releases when out of scope.
- `std::shared_ptr` lets multiple variables reference the memory, only releasing when no one references it.

```
#include <memory>
```

```
std::shared_ptr<Foo> p_foo = std::make_shared<Foo>(...);
```

Memory Management Example

- **Open** `memorymgmt.cpp`
- **Compile by** `make memorymgmt`
- **Run by** `./memorymgmt`
- **Three examples to implement**
 - › `malloc & free`
 - › `new & delete`
 - › `std::shared_ptr<T>`
- **What do you notice?**

Structs & Classes

- Both very similar in C++
 - › Structs have default public members
 - › Classes have default private members
- Use `this` keyword to refer to class members or functions
 - › Can be omitted if clear
- Constructors typically initialize & allocate resources
- Destructors typically release resources

```
class Foo {  
    int a_; // private  
public:  
    Foo(int f);  
    ~Foo();  
    void bar();  
private:  
    void bar1();  
};
```

```
Foo f(1);  
f.bar();  
f.bar1(); // compile error
```

```
Foo *f1 = new Foo(1);  
f1->bar();
```


Inheritance & Polymorphism in C++

- To allow subclasses to provide custom implementations, declare base function `virtual`
- Subclass must have same method signature to override
 - › Optionally put `override` to let compiler verify
- For “pure” base classes, provide no implementation by setting = 0.

```
class A {
public:
    virtual void foo() = 0;
};

class B : public A {
public:
    void foo() override {...}
};

B b(); // normal
A *b1 = &b;
b1->foo(); // calls B::foo
```

Inheritance & Polymorphism Example

- Open `inherit.cpp`
- Compile by `make inherit`
- Run by `./inherit`
- Key Takeaway
 - › Even if you have a pointer to a superclass, C++ will call the derived function unless you explicitly say not to

Operator Overloading

- It's useful to define custom operations on our objects.
- C++ allows you to override most operators like
 - Math: +, -, *, /, &, |, ~, ^, ++, etc.
 - Comparison: &&, ||, !, !=, ==, etc.
 - Array [] and function call ()
 - Assignment =
 - Stream operators << and >>
- Stream operators **cannot** be defined as a member function

```
struct Foo {  
    int bar;  
};
```

```
Foo Foo::operator +(const Foo& b) {  
    return Foo(this->bar + b.bar);  
}
```

Templates

- Some algorithms and data types are data-agnostic
- Use templates to specify placeholder types!
- Add `template <typename T>` before your function or class definition
 - Does not have to be `T`, anything is fine

```
template <typename T>
struct Foo {
    T data;
};
Foo<int> f(); // holds ints
```

```
template <typename U>
U foobar(const U& input);
int u1(...);
int u2 = foobar(u1); // type inferred
```

Exceptions

- If you encounter something that breaks pre- or post-conditions, throw an exception
- Similar in idea to assertions but exceptions can be handled
- Useful when testing edge cases in code

```
#include <stdexcept>

void foo() {
    ...
    if (something bad) {
        throw std::exception("yikes");
    }
    ...
}

try {
    foo();
} catch (const std::exception& e) {
    cerr << "caught" << endl;
}
```

DenseMatrix Example

- Open `densematrix.cpp`
- Compile by `make densematrix`
- Run by `./densematrix`

- Key takeaways:
 - › We can overload the `()` operator with two versions: a getter and setter
 - › Stream operators are not class functions. Require separate template parameter and friend keyword to access private functions.

Lambdas

- C++11 introduces *lambdas*, which are like mini functions
- Also known as predicates or anonymous functions
- General form:

```
[capture group] (parameters) { return ... }
```

- Capture group: allows variables from outer scopes to be used inside
 - › Pass by value: [variable]
 - › Pass by reference: [&variable]
 - › Class Member variables: [this]
 - › Pass everything by value: [=]
 - › Pass everything by reference: [&]
- Parameter list usually defined by function taking lambda.
- Lambdas do not have to be simple one line statements!

C++ Standard Library

Containers

- `std::vector<T>`: **resizeable array**
 - › `std::vector<T>(n)` – set size
 - › `::resize(n)` – expands/shrinks vector
 - › `[index]` – **get/set element**
 - › `::push_back(T)` – insert at end of vector
- `std::list<T>`: **doubly linked lists**
 - › Most operations are the same
 - › Some special operations unique to lists, like `::sort`
- `std::queue<T>`: **standard FIFO**
 - › Given some other container, only allow pop/enqueue operations

Iterators

- Containers have `begin()` and `end()` functions for easy iteration
- C++11 introduced ranged for loop
- Not all iterators created equal:

```
std::vector<T> foo = ...
auto& itr = foo.begin();
while (itr != foo.end()) {
    ...
    itr++;
}
```

```
for (auto& i : foo) { ... }
```

Iterator category		Defined operations	
<i>RandomAccessIterator</i>	<i>BidirectionalIterator</i>	<i>ForwardIterator</i>	<ul style="list-style-type: none"> • read • increment (without multiple passes)
		<i>InputIterator</i>	<ul style="list-style-type: none"> • increment (with multiple passes)
			<ul style="list-style-type: none"> • decrement
			<ul style="list-style-type: none"> • random access
Iterators that fall into one of the above categories and also meet the requirements of <i>OutputIterator</i> are called mutable iterators.			
<i>OutputIterator</i>			<ul style="list-style-type: none"> • write • increment (without multiple passes)
Iterators that fall into one of the above categories and also meet the requirements of <i>ContiguousIterator</i> are called contiguous iterators.			
<i>ContiguousIterator</i>			<ul style="list-style-type: none"> • contiguous storage

The `<algorithm>` Header

- `std::for_each(InputIt first, InputIt last, <lambda>)`
 - › Lambda: `[](T& item) { ... }`
 - › Apply a lambda to each element
- `std::transform(InputIt first, InputIt last, InputIt dst, <lambda>)`
 - › Lambda: `[](T& item) { return ... }`
 - › Apply a lambda to each element and put it in another place
- `std::sort(InputIt first, InputIt last, <lambda>)`
 - › Lambda: `[](const T& a, const T& b) { return true; }`
 - › Sorts elements according to given lambda or default comparison

The `<numeric>` Header

- `std::accumulate(InputIt first, InputIt last, T init, <lambda>)`
 - › **Lambda:** `[](T& sum, U& val) { return new_sum }`
 - › Add all elements according to given lambda
- `std::iota(ForwardIt first, ForwardIt last, T val)`
 - › Same idea as `range_iterator` from Lecture 1
 - › Start at `val` and increment until done

```
std::vector<int> foo(10);
std::iota(foo.begin(), foo.end(), 0);
// foo = [0, 1, 2, ..., 9]
```

```
int sq_sum = std::accumulate(foo.begin(), foo.end(),
    [](int& sum, int& val) { return sum + (val * val); }
);
```

Numeric Practice

- Open `numeric.cpp`
- Compile by `make numeric`
- Run by `./numeric`
- Goal: summing every other element in a vector

C++ Compilation & Tools

Compiling Code on the Command Line

- Most code in CME 213 will be compiled via command line

- General order of flags for gcc/g++

```
g++ -I{include} -l{linking} {C/CXXFLAGS} <file>
```

- Example

```
g++ -o main -std=c++11 -Wall -g main.cpp
```

- `-std=c++11` enforces the C++11 standard
- `-Wall` turns on all warnings
- `-g` compiles in debug info
- I like to use `-pedantic` (no extensions) and `-Wextra`

Compiling via Makefiles

- Annoying to manually specify flags and file every time
- Makefiles makes this easier!
- Run on command line: `make <target>`

```
CXXFLAGS=-g -std=c++11 -Wall
```

```
INCLUDE=include/
```

```
default: main
```

```
main: main.cpp
```

```
    g++ $(CXXFLAGS) -I$(INCLUDE) $< -o $@
```

```
clean:
```

```
    rm -f *.o main
```


Wrapping up...

- Should know basics of:
 - › Smart pointers
 - › Operator overloading
 - › Inheritance and polymorphism
 - › Templates, Exceptions, Lambdas
 - › Standard Library Headers
- Mastery not necessary!
- Ability to google these features is good enough
- HW1 is the most C++ feature-heavy!

Any Questions?